Dental School Laboratory Infectious Waste Disposal Guide*

* For research laboratories located in The Levy Center for Oral Health Research. Procedures may vary in the clinical areas or other University spaces.

For more information on infectious waste, consult the University's Biological Safety Manual (https://ehrs.upenn.edu/health-safety/biological-safety-manual) or refer questions about the disposal of sharps to EHRS at 215-898-4453 or email the office at https://ehrs.upenn.edu/health-safety/biological-safety-manual) or refer questions about the disposal of sharps to EHRS at 215-898-4453 or email the office at https://ehrs.upenn.edu/health-safety/biological-safety-manual) or refer questions about the disposal of sharps to EHRS at 215-898-4453 or email the office at https://ehrs.upenn.edu/health-safety/biological-safety-manual) or refer questions about the disposal of sharps to EHRS at 215-898-4453 or email the office at https://ehrs.upenn.edu/health-safety/biological-safety/biological-safety-manual) or refer questions about the disposal of sharps to EHRS at 215-898-4453 or email the office at https://ehrs.upenn.edu/health-safety/biological-safety/biological-safety-manual) or refer questions about the disposal of sharps to EHRS at 215-898-4453 or email the office at <a href="https://ehrs.upenn.edu/health-safety/biological-safety

Container Type	Glassware/ Plasticware Waste Cardboard Box	Infectious Waste Sharps Container**	Infectious Waste Bags	Infectious Waste Liquid Containers
Contents	Uncontaminated laboratory glassware and plasticware. Chemical bottles must be triple rinsed and label defaced. Line cardboard glassware boxes with heavy, clear plastic liner. Do not use biohazard burn boxes or red/orange bags to collect glass/plasticware waste under any circumstances.	Infectious waste sharps including: All needles, syringes, and blades; broken or unbroken glass and plasticware that has contacted infectious agents or was used in animal or human patient care or treatment, including plastic pipettes and other used plasticware that is recognizable after autoclaving or made of plastic that shatters on breakage or is considered breakable by the investigator. Chemical-contaminated sharps waste (trace amount): Dispose of in Reusable Sharps Container -or- segregate into disposable sharps containers labeled "Chemical Contaminated Sharps Waste-Do Not Autoclave" Non-infectious Sharps (needles, syringes, and blades): Dispose in a sharps container through the infectious waste stream. Containers of non-infectious sharps are discarded as infectious waste in designate receptacles. NOTE: Non-infectious sharps may be commingled with infectious waste sharps or chemical-contaminated sharps waste. If this is done, they must be managed as described for the respective category of sharps.	All contaminated laboratory items <u>NOT</u> considered sharps, including used plasticware that is deformed after autoclaving or made of polyethylene (PE), polyvinyl chloride (PVC), and other thermoplastic polymers provided they do not shatter on breakage or are considered unbreakable by the investigator.	Infectious waste fluids (volumes greater than 20 cc).
Reusable	NO	Reusable sharps containers - YES Disposable sharps containers - NO	NO	YES
Disposal Methods	Seal cardboard box when ¾ full for designated SDM staff to remove.	Disposable Sharps Containers: Designated SDM staff regularly collects and transports closed disposable sharps containers to the Autoclave Room (106 Levy) for packaging for destruction. *** Reusable sharps containers are pickup up at their location by vendor and replaced with clean containers. Chemical-contaminated sharps waste and Non-infectious Sharps waste (with label defaced): Each generator (lab) is responsible to discard containers, without prior autoclaving, into designated receptacles, as described above.	Designated SDM staff regularly collects and transports closed infectious waste bags to the Autoclave Room (106 Levy) for packaging for destruction. ***	Autoclave liquid or use appropriate disinfectant before pouring into a sanitary sewer drain. The reusable container must be washed and autoclaved before reuse.
Container Source	User must purchase.	<u>Disposable sharps containers</u> : – user must purchase Reusable sharps containers: – delivered by vendor: Curtis Bay Medical Waste Services (Mr. Jordan Jaskolka @ 610-741-7517 <u>upenn@curtisbaymws.com</u>)	User must purchase.	User must purchase.

^{**} NOTE: All sharps must be disposed in sharps containers at the time of generation and kept there until final destruction. For details on how to properly sort and manage the disposal of all laboratory sharps waste, consult the EHRS LABORATORY

Dental School Laboratory Infectious Waste Disposal Guide*

* For research laboratories located in The Levy Center for Oral Health Research. Procedures may vary in the clinical areas or other University spaces.

For more information on infectious waste, consult the University's Biological Safety Manual (https://ehrs.upenn.edu/health-safety/biological-safety-manual) or refer questions about the disposal of sharps to EHRS at 215-898-4453 or email the office at ehrs@ehrs.upenn.edu.

SHARPS WASTE MANAGEMENT PROCEDURE (https://ehrs.upenn.edu/health-safety/regulated-waste/sharps-glassware/laboratory-sharps-waste).

*** NOTE: Wear proper PPE and place all infectious waste in secondary containment when transporting it within the building.