## Category 1 agents and toxins:

HH	S Select Agents and Toxins <sup>29</sup>
	Abrin
	Bacillus cereus Biovar anthracis
	Botulinum neurotoxins
	Clostridium botulinum and neurotoxin-producing species of Clostridia
	Conotoxins (Short, paralytic alpha conotoxins containing the following amino acid
	sequence X <sub>1</sub> CCX <sub>2</sub> PACGX <sub>3</sub> X <sub>4</sub> X <sub>5</sub> X <sub>6</sub> CX <sub>7</sub> )
	Coxiella burnetii
	Crimean-Congo hemorrhagic fever virus
	Diacetoxyscirpenol
	Eastern equine encephalitis virus
	Ebola virus
	Francisella tularensis
	Lassa fever virus
	Lujo virus
	Marburg virus
	Mpox virus Clade I
	1918-1919 H1N1 including reconstructed replication competent forms of the 1918
	pandemic influenza virus containing any portion of the coding regions of all eight gene
	segments (Reconstructed 1918 Influenza virus)
	Ricin
	Rickettsia prowazekii
	Severe acute respiratory coronavirus (SARS-CoV)
	SARS-CoV/SARS-CoV-2 chimeric viruses resulting from any deliberate manipulation of
	SARS-CoV-2 to incorporate nucleic acids coding for SARS-CoV virulence factors
	Saxitoxin
	Chapare virus

<sup>&</sup>lt;sup>29</sup> Biological agents and toxins listed in this part of the list are controlled by Select Agent Regulations, please refer to the Select Agents and Toxins list for any relevant strain exclusions.

	Guanarito virus
	Junín virus
	Machupo virus
	Sabía virus
	Staphylococcal enterotoxins (subtypes A, B, C, D, E)
	T-2 toxin
	Tetrodotoxin
	Tick-borne encephalitis complex virus: Far Eastern subtype
	Tick-borne encephalitis complex virus: Siberian subtype
	Kyasanur Forest disease virus
	Omsk hemorrhagic fever virus
	Variola major virus (Smallpox virus)
	Variola minor virus (Alastrim)
	Yersinia pestis
<u>_</u> Ov	erlap Select Agents and Toxins
	Bacillus anthracis
	Bacillus anthracis Pasteur strain
	Brucella abortus
	Brucella melitensis
	Brucella suis
	Burkholderia mallei
	Burkholderia pseudomallei
	Hendra virus
	Nipah virus
	Rift Valley fever virus
	Venezuelan equine encephalitis virus
US	DA Veterinary Services (VS) Select Agents and Toxins
	African horse sickness virus
	African swine fever virus
	Avian influenza virus [this is included here as a veterinary select agent in 9 CFR 121.3.
	Low pathogenicity strains are excluded.]
	Classical swine fever virus
	Foot-and-mouth disease virus
	Goat pox virus
	Lumpy skin disease virus
	Mycoplasma capricolum
	Mycoplasma mycoides
	Newcastle disease virus
	Peste des petits ruminants virus
	Rinderpest virus

	Sheep pox virus		
	Swine vesicular disease virus		
US	USDA Plant Protection and Quarantine (PPQ) Select Agents and Toxins		
	Coniothyrium glycines		
	Peronosclerospora philippinensis (Peronosclerospora sacchari)		
	Ralstonia solanacearum		
	Rathayibacter toxicus		
	Sclerophthora rayssiae		
	Synchytrium endobioticum		
	Xanthomonas oryzae		
Other Risk Group 4 Pathogens <sup>30</sup>			
	Tick-borne encephalitis virus complex including Absetterov, Central European		
	encephalitis, Hanzalova, Hypr, and Kumlinge		
	Herpesvirus simiae (herpes B or monkey B virus)		
	Hemorrhagic fever agents and viruses as yet undefined		
Other Risk Group 3 Pathogens <sup>31</sup>			
	Bartonella		
	Bartonella Brucella		
	Brucella		
	Brucella Orientia tsutsugamushi		
	Brucella Orientia tsutsugamushi Pasteurella multocida type B -"buffalo" and other virulent strains Rickettsia akari, R. australis, R. canada, R. conorii, R. rickettsii, R, siberica, R. typhi (R. mooseri)		
	BrucellaOrientia tsutsugamushiPasteurella multocida type B -"buffalo" and other virulent strainsRickettsia akari, R. australis, R. canada, R. conorii, R. rickettsii, R, siberica, R. typhi (R. mooseri)Chikungunya virus except the vaccine strain 181/25		
	Brucella Orientia tsutsugamushi Pasteurella multocida type B -"buffalo" and other virulent strains Rickettsia akari, R. australis, R. canada, R. conorii, R. rickettsii, R, siberica, R. typhi (R. mooseri)		
	BrucellaOrientia tsutsugamushiPasteurella multocida type B -"buffalo" and other virulent strainsRickettsia akari, R. australis, R. canada, R. conorii, R. rickettsii, R, siberica, R. typhi (R. mooseri)Chikungunya virus except the vaccine strain 181/25Semliki Forest virusSt. Louis encephalitis virus		
	BrucellaOrientia tsutsugamushiPasteurella multocida type B -"buffalo" and other virulent strainsRickettsia akari, R. australis, R. canada, R. conorii, R. rickettsii, R, siberica, R. typhi (R. mooseri)Chikungunya virus except the vaccine strain 181/25Semliki Forest virus		
	BrucellaOrientia tsutsugamushiPasteurella multocida type B -"buffalo" and other virulent strainsRickettsia akari, R. australis, R. canada, R. conorii, R. rickettsii, R, siberica, R. typhi (R. mooseri)Chikungunya virus except the vaccine strain 181/25Semliki Forest virusSt. Louis encephalitis virus		
	BrucellaOrientia tsutsugamushiPasteurella multocida type B -"buffalo" and other virulent strainsRickettsia akari, R. australis, R. canada, R. conorii, R. rickettsii, R, siberica, R. typhi (R. mooseri)Chikungunya virus except the vaccine strain 181/25Semliki Forest virusSt. Louis encephalitis virusFlexal virus		
	BrucellaOrientia tsutsugamushiPasteurella multocida type B -"buffalo" and other virulent strainsRickettsia akari, R. australis, R. canada, R. conorii, R. rickettsii, R, siberica, R. typhi (R. mooseri)Chikungunya virus except the vaccine strain 181/25Semliki Forest virusSt. Louis encephalitis virusFlexal virusLymphocytic choriomeningitis virus (LCM) (neurotropic strains)		
	BrucellaOrientia tsutsugamushiPasteurella multocida type B -"buffalo" and other virulent strainsRickettsia akari, R. australis, R. canada, R. conorii, R. rickettsii, R, siberica, R. typhi (R. mooseri)Chikungunya virus except the vaccine strain 181/25Semliki Forest virusSt. Louis encephalitis virusFlexal virusLymphocytic choriomeningitis virus (LCM) (neurotropic strains)Hantaviruses, including Hantaan virus		
	BrucellaOrientia tsutsugamushiPasteurella multocida type B -"buffalo" and other virulent strainsRickettsia akari, R. australis, R. canada, R. conorii, R. rickettsii, R, siberica, R. typhi (R. mooseri)Chikungunya virus except the vaccine strain 181/25Semliki Forest virusSt. Louis encephalitis virusFlexal virusLymphocytic choriomeningitis virus (LCM) (neurotropic strains)Hantaviruses, including Hantaan virusMiddle East respiratory syndrome coronavirus (MERS-CoV)		

<sup>&</sup>lt;sup>30</sup> Pathogens listed in this part of the list are Risk Group 4 but not controlled by the Select Agent Regulations, please refer to the *NIH Guidelines* for any relevant strain exclusions.

<sup>&</sup>lt;sup>31</sup> Pathogens listed in this part of the list are Risk Group 3 but not controlled by the Select Agent Regulations, please refer to the *NIH Guidelines* for any relevant strain exclusions.

	Yellow fever virus	
	Human influenza A virus H2N2 (1957-1968)	
	Highly pathogenic avian influenza A virus H5Nx strains within the	
	Goose/Guangdong/96-like H5 lineage (e.g., H5N1, H5N6, H5N8 etc.)	
	Transmissible spongiform encephalopathy (TSE) agents (e.g., Creutzfeldt-Jacob	
	disease and kuru agents)	
Other		
	Any attenuated pathogen or vaccine strain that is currently excluded from the Select Agent Regulations that exhibits the recovery of virulence at or near the wild-type	
	Mpox virus clade I/II chimeric viruses resulting from any deliberate manipulation of clade II to incorporate nucleic acids coding for clade I virulence factors	